


CASOLUX®

The lights of tomorrow





Introduction

Over the years Casolux has shown the way to innovative design within marine lighting by focusing on individuality, reliability and quality- three words that demonstrate the assurance that we have given our customers since the company was founded in 2012.

Thanks to our excellent staff, we have continued to keep this commitment, earning a more and more prominent position year on year, in a global market for marine lights for yacht and naval vessel.

This success would not have been possible without our employees' experience, technical skills and passion for design. developing lights that are perfectly tailored to meet each customer/ yard's individual wishes and specific requirements.

The key factor that sets us apart, is by listening to our customers we are able to offer high flexibility, choice and innovation, from concept to finished product.

All processes are incorporated at our premises which include a component warehouse, product assembly, stock inventory, testing and show room.

Casolux have built their company by understanding the design and demands of marine lights, and through the pursuance of excellence, aim to become leaders within the industry.




info@casolux.com

Tlf. +45 7445 0005

Denmark - 6400 Sønderborg

CASOLUX®

The lights of tomorrow

	4-12	Downlight
	13-17	Surface mounted light
	18-25	Reading and chart table light w/flex
	26-31	Wall light and table light
	32-34	Courtesy and orientation light
	34	Push Up Table light
	35-39	Flexible strips light
Boat Name	40	Illuminated sign
	41	Emergency light
	42	Bulbs
	42-43	Maga Floodlight and Machine-room light
	44	Underwater light
	45-46	Control system, dimmer, driver, converter etc.



IP grade



Lumen output per watt



Color temperature in Kelvin



Red colour light



Red / WW switchable light



Beam angle



LED brand



Dimmable



USB charger



Led driver



Suitable for Mega Yacht



Suitable for Motorhomes



Color rendering index



LED's lifetime



For indoor use



For outdoor use



For indoor and outdoor



For underwater use

Maria - A1




Stainless steel (SS)



Gray (GR)



White (WH)



Small

A: 69,5 mm
B: 40,5 mm
C: 4,5 mm
D: 52 mm
E: 19 mm

Large

A: 86 mm
B: 55 mm
C: 4,5 mm
D: 70 mm
E: 19 mm

Product code	Frame	IP	Power	Input Volt	Materiale
MARIA-A1	SS	65	Small 2,4w/Large 3,6w	10-30 DC	Stainless steel/Alu
MARIA-A1	SS-GR-WH	54	Small 2,4w/Large 3,6w	10-30 DC	Stainless steel/Alu
MARIA-A1	SS-GR-WH	54	Small 2w/Large 3W	10-18/20-28 DC	Stainless steel/Alu

Maria - A3




Stainless steel (SS)



Gray (GR)



White (WH)



Small

A: 69,5 mm
B: 40,5 mm
C: 7 mm
D: 52 mm
E: 16 mm

Large

A: 86 mm
B: 55 mm
C: 7 mm
D: 70 mm
E: 16 mm

Product code	Frame	IP	Power	Input Volt	Materiale
MARIA-A3	SS	65	Small 2,4w/Large 3,6w	10-30 DC	Stainless steel/Alu
MARIA-A3	SS-GR-WH	54	Small 2,4w/Large 3,6w	10-30 DC	Stainless steel/Alu
MARIA-A3	SS-GR-WH	54	Small 2w/Large 3W	10-18/20-28 DC	Stainless steel/Alu

Maria - A1/2/4 - On/Off Push switch




Stainless steel (SS)



Gray (GR)



Press on glass and
switch light ON / OFF



Small

A: 69 mm
B: 40,5 mm
C: 3 mm
D: 52 mm
E: 19 mm

Large

A: 86 mm
B: 55 mm
C: 3 mm
D: 70 mm
E: 19 mm

Product code	Frame	IP	Power	Input Volt	Materiale
MARIA	SS	40	Large 3w	10-18 DC	Stainless steel/Alu
MARIA	GR	40	Small 2w/Large 3w	10-18 DC	Aluminum

Maria - A4




Stainless steel (SS)
Optional with brushed surface



Gray (GR)



White (WH)



Small
A: 69 mm
B: 40,5 mm
C: 3 mm
D: 52 mm
E: 19 mm

Large
A: 86 mm
B: 55 mm
C: 3 mm
D: 70 mm
E: 19 mm

Product code	Frame	IP	Power	Input Volt	Materiale
MARIA-A4	SS	65	Small 2w/Large 3w	10-30 AC/DC	Stainless steel/Alu
MARIA-A4	SS	65	Small 2,4w/Large 3,6w	10-30 DC	Stainless steel/Alu
MARIA-A4	GR-WH	65	Small 2w/Large 3w	10-30 AC/DC	Aluminum
MARIA-A4	GR-WH	65	Small 2,4w/Large 3,6W	10-30 DC	Aluminum

Maria - A4 - Finger Touch




ON / OFF / DIMMING with finger
touch on front frame.



Stainless Steel (SS)



White (WH)




Small
A: 69 mm
B: 40,5 mm
C: 3 mm
D: 52 mm
E: 19 mm

Large
A: 86 mm
B: 55 mm
C: 3 mm
D: 70 mm
E: 19 mm

Product code	Frame	IP	Power	Input Volt	Materiale
MARIA-A4 <i>News</i>	SS	65	Small 2w/Large 3w	10-30 DC	Stainless steel/Alu
MARIA-A4 <i>News</i>	GR-WH	65	Small 2w/Large 3w	10-30 DC	Aluminum

Maria - A4 - 2700K - Ra90




White (WH)



Stainless Steel (SS)



Gray (GR)



Small
A: 69 mm
B: 40,5 mm
C: 3 mm
D: 52 mm
E: 19 mm

Large
A: 86 mm
B: 55 mm
C: 3 mm
D: 70 mm
E: 19 mm

Product code	Frame	IP	Power	Input Volt	Materiale
MARIA-A4 <i>News</i>	SS	65	Small 2w/Large 3w	10-30 DC	Stainless steel/Alu
MARIA-A4 <i>News</i>	GR-WH	65	Small 2w/Large 3w	10-30 DC	Aluminum


Maja Round



Stainless steel (SS)



Stainless steel
Painted White
(SS/WH)



Product code	Frame	IP	Power	Input Volt	Materiale
MAJA-ROUND	SS-SS/WH	65	3,6w	10-30 DC	Stainless steel/Alu
MAJA-RO-WW-RED <i>News</i>	SS-SS/WH	65	3,6w/1,8w	10-30 DC	Stainless steel/Alu


Maja Square



Stainless steel (SS)




Stainless steel
Painted White
(SS/WH)



Product code	Frame	IP	Power	Input Volt	Materiale
MAJA-SQUARE	SS-SS/WH	65	3,6w	10-30 DC	Stainless steel/Alu
MAJA-SQ-WW-RED <i>News</i>	SS-SS/WH	65	3,6w/1,8w	10-30 DC	Stainless steel/Alu


Magda



Product code	Power	Input Volt	Materiale
MAGDA-SS	4,4w	10-30 DC	Stainless steel / Alu



Only manufactured on request. Contact Casolux for more information.

Rikke 1,3W Non Dim



Product code	Frame	CCT	Power	Input Volt	Materiale
RIKKE-CH-1,3W News	Chrome	3000K	1,3w	10-30 AC/DC	Plastic
RIKKE-WH-1,3W News	White	3000K	1,3w	10-30 AC/DC	Plastic


Rikke 1,5W Dimmable



Product code	Frame	CCT	Power	Input Volt	Materiale
RIKKE-CH-1,5W News	Chrome	3000K	1,5w	10-30 AC/DC	Plastic
RIKKE-WH-1,5W News	White	3000K	1,5w	10-30 AC/DC	Plastic
RIKKE-CH-1,5W News	Chrome	RED	1,5W	10-30 AC/DC	Plastic
RIKKE-WH-1,5W News	White	RED	1,5W	10-30 AC/DC	Plastic




Mathilde Small



Product code	Power	Input	Materiale
MATHILDE-AL-SMALL	1,2w	350mA / Optional 10-30 DC	Aluminum


Only manufactured on request. Contact Casolux for more information.

Mathilde



Product code	Power	Input	Materiale
MATHILDE-SS	2,4w	10-30 DC	Stainless Steel / Alu

Mathilde Large



Product code	Power	Input	Materiale
MATHILDE-SS-LARGE-RO News	2,4w	10-30 DC	Stainless Steel / Alu
MATHILDE-SS-LARGE-SQ News	2,4w	10-30 DC	Stainless Steel / Alu

Maggi Small




White (WH)



Grey (GR) IP66
RAL 7038




Stainless steel (SS) Ø50mm
Can be made at request



Product code	Frame	IP	Power	Input Volt	Materiale
MAGGI-SMALL	WH	44	3,5w	10-30 DC	Aluminum
MAGGI-SMALL	GR	66	3,5w	10-30 DC	Aluminum
MAGGI-SMALL	SS	44	3w	10-30 DC	Stainless steel/Alu


Maggi Ø69



Product code	Power	Input Volt	Materiale
MAGGI	3w	10-18 DC / Optional 10-30 DC	Stainless steel / Alu

Only manufactured on request. Contact Casolux for more information.

Mie



Product code	Power	Input Volt	Materiale
MIE-AL-WH	3w	10-30 DC	Aluminum

Casolux Marine light

Marine light system


Lilleholm 90



Stainless steel
Polished (SS-PO)




Stainless steel
Brushed (SS-BR)



Product code	Power	Input	Materiale
LILLEHOLM-90-SS-PO	10w	350mA	Stainless Steel / Alu
LILLEHOLM-90-SS-BR	10w	350mA	Stainless Steel / Alu

Only manufactured on request. Contact Casolux for more information.

Lilleholm 205



Product code	Power	Input	Materiale
LILLEHOLM-205-AL-WH	30w	500mA	Aluminum


Bornholm



BORNHOLM-230



BORNHOLM-100




Product code	Power	Input	Materiale
BORNOLM-230	20w	750mA	Stainless steel / Alu
BORNHOLM-100-120-BEAM	3w	350mA	Stainless steel / Alu
BORNHOLM-100-40-BEAM	3w	500mA	Stainless steel / Alu

Only manufactured on request. Contact Casolux for more information.


Malou 82 - 3,3W



Optional with square frame.



SQUARE OVAL
FRAME




SQUARE RECT
FRAME

Product code	Power	Input Volt	Materiale
DL-MALOU-SS-3,3	3,3w	10-18 DC	Stainless steel / Alu


Malou 82 - 4,5W



Optional with square frame.




SQUARE OVAL
FRAME



SQUARE RECT
FRAME

Product code	Power	Input	Materiale
MALOU-SS-3000K	4,5w	10-30 DC	Stainless steel / Alu
MALOU-SS-3000K-RED	3,6w/0,6w	10-30 DC	Stainless steel / Alu

Malou 90



Product code	Power	Input	Materiale
MALOU-90-2700K	6w	500mA / 10-30 DC	Stainless steel / Alu
MALOU-90-2700K-RED	6w	500mA / 10-30 DC	Stainless steel / Alu

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system



Consult: www.oysteryachts

Malou Controller light




News



Silicone disk
IP64

One Controller can control up to 15 Receivers.




Product code	IP	CCT	Power	Input Volt	Materiale
MALOU-MA News	20	3000K	3w	9-32 DC	Stainless steel/Alu
MALOU-MA News	64	3000K	3w	9-32 DC	Stainless steel/Alu
MALOU-MA News	20	WW/RED	3w/3w	9-32 DC	Stainless steel/Alu
MALOU-MA News	64	WW/RED	3W/3w	9-32 DC	Stainless steel/Alu

Malou Receiver light



News



Product code	IP	CCT	Power	Input Volt	Materiale
MALOU-SL News	65	3000K	3w	9-32 DC	Stainless steel/Alu
MALOU-SL News	65	WW/RED	3w/3w	9-32 DC	Stainless steel/Alu



Malou Controller light - Surface mounted




News

ON / OFF
Press for Dimming.
WW/RED: Double click to
change colour.



Silicone disk
IP64

One Controller can control up to 15 Receivers.




Product code	IP	CCT	Power	Input Volt	Materiale
MALOU-MA-SUR <i>News</i>	20	3000K	3w	9-32 DC	Stainless steel/Alu
MALOU-MA-SUR <i>News</i>	64	3000K	3w	9-32 DC	Stainless steel/Alu
MALOU-MA-SUR <i>News</i>	20	WW/RED	3w/3w	9-32 DC	Stainless steel/Alu
MALOU-MA-SUR <i>News</i>	64	WW/RED	3w/3w	9-32 DC	Stainless steel/Alu

Malou Receiver light - Surface mounted




News



Product code	IP	CCT	Power	Input Volt	Materiale
MALOU-SL-SUR <i>News</i>	65	3000K	3w	9-32 DC	Stainless steel/Alu
MALOU-SL-SUR <i>News</i>	65	WW/RED	3w/3w	9-32 DC	Stainless steel/Alu


Maja - Surface mounted - Big



Product code	CCT	Power	Input Volt	Materiale
MAJA-SURFACE-BIG	3000K	3,6w	10-30 DC	Stainless steel/Alu
MAJA-SURFACE-BIG	WW/RED	3,6w/1,8w	10-30 DC	Stainless steel/Alu

Only manufactured on request. Contact Casolux for more information.


Maja - Surface mounted - Small



Product code	CCT	Power	Input Volt	Materiale
MAJA-SURFACE-SMALL	3000K	3,6w	10-30 DC	Stainless steel/Alu
MAJA-SURFACE-SMALL	WW/RED	3,6w/1,8w	10-30 DC	Stainless steel/Alu

Only manufactured on request. Contact Casolux for more information.

Maggi - Surface mounted




Product code	Power	Input Volt	Materiale
MAGGI-SURFACE	3w	10-18 DC / Optional 10-30 DC	Stainless steel / Alu

Only manufactured on request. Contact Casolux for more information.

Medina - Surface mounted



News




Product code	CCT	Power	Input Volt	Materiale
MEDINA-SURFACE-GR-Ø60	News 3000K	1w	10-32 DC	Aluminum

Only manufactured on request. Contact Casolux for more information.

Mocca - Mini Panel






News



News

MOCCA-SQUARE

MOCCA-RECTANGEL



Product code	Power	Input Volt	Materiale
MOCCA-SQUARE	News 1,8w	10-30 DC	Plastic/Aluminum
MOCCA-RECTANGEL	News 1,8w	10-30 DC	Plastic/Aluminum

Only manufactured on request. Contact Casolux for more information.




Molly - Mini Panel



News




News



Product code	Power	Input Volt	Materiale
MOLLY-ROUND	News 1,8w	10-30 DC	Plastic/Aluminum
MOLLY-SQUARE	News 1,8w	10-30 DC	Plastic/Aluminum


Only manufactured on request. Contact Casolux for more information.

Mona - Mini Panel




Product code	Power	Input Volt	Materiale
MONA-MINI-PANEL	2,4w	10-30 DC	Plastic/Aluminum
MONA-MEDIUM-PANEL	4,8w	10-30 DC	Plastic/Aluminum

Mona - 6w Panel




Product code	CCT	Power	Input Volt	Materiale
MONA-LIGHT-BAR-6W-CW <i>News</i>	4000K	6w	10-32 DC	Plastic/Aluminum
MOBA-LIGHT-BAR-6W-WW <i>News</i>	3000K	6w	10-32 DV	Plastic/Aluminum

Cabinet light - Square



Product code	Power	Input Volt	Materiale
CABINET-SQUARE-192x112 <i>News</i>	6w	10-16 DC	Aluminum



Bedside - Wireless charger



Product code	Power	Input Volt	Materiale
BEDSIDE-WIRELESS-BLACK <i>News</i>	1,5w	230 AC / 10-32 DC	Aluminum
BEDSIDE-WIRELESS-WHITE <i>News</i>	1,5w	230 AC / 10-32 DC	Aluminum

Only manufactured on request. Contact Casolux for more information.



Olivia round



Product code	Power	Input Volt	Materiale
OLIVIA-ROUND-SS-SMALL (IP67)	3w	12-24 DC	Stainless steel
OLIVIA-ROUND-WHITE (IP65)	3w	230 AC / Optional 12-24 DC	Aluminum
OLIVIA-ROUND-WHITE-SMALL (IP65)	3w	230 AC / Optional 12-24 DC	Aluminum

Only manufactured on request. Contact Casolux for more information.

Olivia square



Product code	Power	Input Volt	Materiale
OLIVIA-SUARE-SS-SMALL (IP67)	3w	12 DC	Stainless steel
OLIVIA-SQUARE-WHITE (IP65)	3w	230 AC / Optional 12-24 DC	Aluminum


Only manufactured on request. Contact Casolux for more information.

Malene Touch - Table



Optional with other flex tube lengths.

Also available in upholstered leather or in other colored Silicone covers.




Product code	Power	Input Volt	Materiale
MALENE-TO-TABLE-3000K-RED	0,5 - 2w	10-18 DC / 20-29 DC	Stainless steel

Malene Touch - Wall



Optional with other flex tube lengths.

Also available in upholstered leather or in other colored Silicone covers.




Product code	Power	Input Volt	Materiale
MALENE-TO-WALL-3000K-RED	0,5 - 2w	10-18 DC / 20-29 DC	Stainless steel

Malene Touch - Flat base



Optional with other flex tube lengths.

Also available in upholstered leather or in other colored Silicone covers.



Product code	Power	Input Volt	Materiale
MALENE-TO-FLAT-BASE-3000K-RED	0,5 - 2w	10-30 DC	Stainless steel

Casolux Marine light

Marine light system



Copyright N. Krauss/Hamburg



Malene Touch - Black Aluminum

News

News




MALENE TOUCH
WALL-BLACK

MALENE TOUCH
TABLE-BLACK

Optional with other flex tube lengths.

Also available in upholstered leather or in other Silicone covers.



Product code	Power	Input Volt	Materiale
MALENE-TO-WALL-BLACK	0,5 - 2w	10-30 DC	Aluminum
MALENE-TO-TABLE-BLACK	0,5 - 2w	10-30 DC	Aluminum

Malene Touch - Mini

MALENE TOUCH
WALL MINI

MALENE TOUCH
TABLE MINI

MALENE TOUCH
FLAT BASE MINI




USB

USB


Optional with other flex tube lengths.

Also available in upholstered leather or in other colored Silicone covers.



Product code	Power	Input Volt	Materiale
MALENE-TO-WALL-MINI-3000K-RED	0,5 - 2w	10-18 DC / 20-29 DC	Stainless steel
MALENE-TO-TABLE-MINI-3000K-RED	0,5 - 2w	10-18 DC / 20-29 DC	Stainless steel
MALENE-TO-FLAT-BASE-MINI-3000K-RED	0,5 - 2w	10-30 VDC	Stainless steel

Martha Flex - w/USB / Touch Dim / Memory





Flex
290mm

Flex
200mm

Optional with other flex tube lengths.

Also available in upholstered leather or in other colored Silicone covers.



Product code	Power	Input Volt	Materiale
MARTHA-FLEX-USB-290	1,5 w	10-30 DC	Stainless steel
MARTHA-FLEX-USB-200	1,5 w	10-30 DC	Stainless steel

Martha Flex - Wall Base - w/USB / Touch Dim / Memory





Flex
290mm

Flex
200mm

Optional with other flex tube lengths.

Also available in upholstered leather or in other colored Silicone covers.





Product code	Power	Input Volt	Materiale
MARTHA-FLEX-WALLBASE-290	1,5 w	10-30 DC	Stainless steel
MARTHA-FLEX-WALLBASE-200	1,5 w	10-30 DC	Stainless steel

Martha Flex Mini - w/USB / Touch Dim / Memory



MARTHA FLEX
MINI WALLBASE

MARTHA FLEX
MINI




Product code	Power	Input Volt	Materiale
MARTHA-FLEX-MINI-WALLBASE	1,5 w	10-30 DC	Stainless steel
MARTHA-FLEX-MINI	1,5 w	10-30 DC	Stainless steel

Martha Glass Flex - w/USB / Touch Dim / Memory



Optional with other flex tube lengths.
Also available in upholstered leather or in other colored Silicone covers.




Product code	Power	Input Volt	Materiale
MARTHA-GLASS-FLEX-290-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel
MARTHA-GLASS-FLEX-200-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel

Martha Glass Flex - Wall Base - w/USB / Touch Dim / Memory



Optional with other flex tube lengths.
Also available in upholstered leather or in other colored Silicone covers.



Product code	Power	Input Volt	Materiale
MARTHA-GL-FLEX-290-W/B-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel
MARTHA-GL-FLEX-200-W/B-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel


W/B = WALL BASE

Martha Glass Flex Mini - w/USB / Touch Dim / Memory



MARTHA GLASS FLEX
MINI WALLBASE

MARTHA GLASS
FLEX MINI



Product code	Power	Input Volt	Materiale
MARTHA-GL-FLEX-MINI-W/B-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel
MARTHA-GL-FLEX-MINI-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel

W/B = WALL BASE

Casolux Marine light

Marine light system

Mary Flex Mini - Classic version




Stainless steel
(SS) brushed

Grey (GR)


Black (BL)

Titan (TI)



Product code	Power	Input Volt	Materiale
MARY-SS-FLEX-BRUSHED (Black flex 130)	1,5w	10-30 DC	Stainless steel
MARY-AL-FLEX BL or GR or TI (Black flex 130)	2w	10-30 DC	Aluminum

Samsoe



Product code	Power	Input Volt	Materiale
SAMSOE-AL-BL-FLEX-4000K	3w	10-30 DC	Aluminum
SAMSOE-AL-BL-FLEX-3000K	3w	10-30 DC	Aluminum



Mary Flex - Classic version




Stainless steel (SS) polished

Black (BL)


Grey (GR)

Optional with other flex tube lengths.
Also available in upholstered leather or in other colored Silicone covers.



Product code	Power	Input Volt	Materiale
MARY-SS-FLEX-350MM	1,5w	10-30 DC	Stainless steel
MARY-AL-BL-FLEX (long flex)	2w	10-30 DC	Aluminum
MARY-AL-GR-FLEX (long flex)	2w	10-30 DC	Aluminum

Mary Flex Special



Product code	Power	Input Volt	Materiale
MARY-AL-BLACK-FLEX-SPEC	2w	10-30 DC	Aluminum



Flexarm



Lengths

Basic lengths are 130, 200 and 290mm
Other lengths can be customized on request.

Quality


All flexarms are made with stainless steel inner core and brass chromeplate outside.

Colours

Mirror polished finish
Black silicone cover
White silicone cover

Other colour silicone covers or upholstered leather can be customized on request.

Black Leather



Dark Brown Leather




Light Brown Leather



Mary Flex Mini - w/USB / Touch Dim / Memory




Also available in upholstered leather or in other colored Silicone covers.



On / Off
press for dimming

Sensitive dimming function
remember your last setting
after being turned off




Product code	Power	Input Volt	Materiale
MARY-SS-FLEX-MINI-USB-TOUCH-DIM	1,5w	10-30 DC	Stainless steel
MARY-BL-FLEX-MINI-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum
MARY-GR-FLEX-MINI-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum



Mary Flex (290mm) - w/USB / Touch Dim / Memory



Also available in upholstered leather or in other colored Silicone covers.




Product code	Power	Input Volt	Materiale
MARY-SS-FLEX-290-USB-TOUCH-DIM	1,5w	10-30 DC	Stainless steel
MARY-BL-FLEX-290-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum
MARY-GR-FLEX-290-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum

Mary Flex (200mm) - w/USB / Touch Dim / Memory



Also available in upholstered leather or in other colored Silicone covers.




Product code	Power	Input Volt	Materiale
MARY-SS-FLEX-200-USB-TOUCH-DIM	1,5w	10-30 DC	Stainless steel
MARY-BL-FLEX-200-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum
MARY-GR-FLEX-200-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum

Mary Flex - Wall Base - w/USB / Touch Dim / Memory



Also available in upholstered leather or in other colored Silicone covers.



Product code	Power	Input Volt	Materiale
MARY-SS-FLEX-WALLBASE-200	1,5w	10-30 DC	Stainless steel
MARY-BL-FLEX-WALLBASE-290	1,5w	10-30 DC	Stainless steel

Mary Wall - w/USB / Touch Dim / Memory





Stainless steel
(SS) Polished



Black (BL)

Gray (GR)





Product code	Power	Input Volt	Materiale
MARY-SS-WALL-USB-TOUCH-DIM	1,5w	10-30 DC	Stainless steel
MARY-AL-BL-WALL-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum
MARY-AL-GR-WALL-USB-TOUCH-DIM	1,5w	10-30 DC	Aluminum

Martha Wall - w/USB / Touch Dim / Memory





News





Product code	Power	Input Volt	Materiale
MARTHA-WALL-USB-TO-DIM <i>News</i>	1,5 w	10-30 DC	Stainless steel

Martha Glass Wall - w/USB / Touch Dim / Memory




Product code	Power	Input Volt	Materiale
MARTHA-GL-WALL-USB-TO-DIM	1,5 w	10-30 DC	Stainless steel

Mary Wall - Classic version




Product code	Power	Input Volt	Materiale
MARY-AL-GR-WALL	2w	10-30 DC	Aluminum
MARY-AL-BL-WALL	2w	10-30 DC	Aluminum

Mary up/down




Product code	Power	Input Volt	Materiale
MARY-AL-BLACK-UP-DOWN	2 x 3w	10-30 DC	Aluminum



Casolux Marine light

Marine light system

Win up/down




Optional with only light upwards or downwards



Product code	Power	Input Volt	Materiale
WIN-UP/DOWN	2xGU10 max35w	230 AC / Optional 10-30 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

Marian up/down




Optional with Touch Switch (IP40)




Product code	Power	Input Volt	Materiale
MARIAN-UP/DOWN	2x3w	10-18 DC / 20-28 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

Waki up/down




Product code	Power	Input Volt	Materiale
WAKI-UP-DOWN	1,2w	230 AC / Optional 10-30 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

Waki tube




Product code	Power	Input Volt	Materiale
WAKI-TUBE	5w	230 AC / Optional 10-30 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

Wilma



Product code	Power	Input Volt	Materiale
WILMA	3w	230 AC / Optional 10-30 DC	Stainless steel

Giulia



Can be made with printed-film surface with any requested motiv.




Product code	Power	Input Volt	Materiale
GIULIA-SS	3w	230 AC / Optional 10-30 DC	Stainless steel/Acrylic
Only manufactured on request. Contact Casolux for more information.			

Casolux Marine light

Marine light system

West up/down small



Optional in square shape and other sizes



Product code	Power	Input Volt	Materiale
WEST-UP/DOWN-SMALL	2x4w	230 AC / Optional 10-30 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

West up/down medium




Optional in square shape and other sizes



Product code	Power	Input Volt	Materiale
WEST-UP/DOWN-MEDIUM	2x4w	230 AC / Optional 10-30 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

Wila



Optional also in hard anodized aluminum



Product code	Power	Input Volt	Materiale
WILA-UP-DOWN	2x3w	12 DC	Stainless steel
Only manufactured on request. Contact Casolux for more information.			

Hanne small up/down



Optional in round shape and other sizes




Product code	Power	Input Volt	Materiale
HANNE-SMALL-UP/DOWN	2x3w	230 AC / Optional 10-30 DC	Aluminum



Casolux Marine light


Marine light system

Willa




Product code	LED bulb input / Power	Bulb Input / Power
WILLA	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		

Wanda




Product code	LED bulb input / Power	Bulb Input / Power
WANDA-BED	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		

Winnie




Product code	LED bulb input / Power	Bulb Input / Power
WINNIE	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		

Whitney




Product code	LED bulb input / Power	Bulb Input / Power
WHITNEY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		

Wendy



Product code	LED bulb input / Power	Bulb Input / Power
WENDY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		

Theresa





Product code	LED bulb input / Power	Bulb Input / Power
THERESA	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 60w
Only manufactured on request. Contact Casolux for more information.		

Wallis Round - w/USB and Touch switch



Stainless steel with fabric lamp shade





	A	B	C	D
SMALL	113mm	128mm	Ø110mm	100mm
BIG	185mm	140mm	Ø160mm	115mm

Product code	Power	Input Volt	Materiale
WALLIS-SS-SMALL-ROUND	G4 LED Bulb 1,5w	10-30 DC	Stainless steel
WALLIS-SS-BIG-ROUND	G4 LED Bulb 1,5w	10-30 DC	Stainless steel

Wallis Square - w/USB and Touch switch



Stainless steel with fabric lamp shade




	A	B	C1	C2	D
SMALL	113mm	128mm	110mm	150mm	100mm
BIG	185mm	140mm	160mm	160mm	115mm

Product code	Power	Input Volt	Materiale
WALLIS-SS-SMALL-SQUARE	G4 LED Bulb 1,5w	10-30 DC	Stainless steel
WALLIS-SS-BIG-SQUARE	G4 LED Bulb 1,5w	10-30 DC	Stainless steel

Wallis Special - w/USB and Touch switch



Stainless steel with fabric lamp shade



Product code	Power	Input Volt	Materiale
WALLIS-SS-SPECIAL News	G4 LED Bulb 1,5w / LED 1,5w	10-30 DC	Stainless steel

Only manufactured on request. Contact Casolux for more information.


Merle front



MERLE-FRONT



Optional with brushed surface



Product code	Power	Input Volt	Materiale
MERLE-FRONT-WHITE	0,5w	11-16 DC / Optional 10/30 DC	Stainless steel
MERLE-FRONT-RED	0,5w	11-16 DC / Optional 10/30 DC	Stainless steel
MERLE-FRONT-BLUE	0,5w	11-16 DC / Optional 10/30 DC	Stainless steel


Merle down



MERLE-DOWN




Optional with brushed surface



Product code	Power	Input Volt	Materiale
MERLE-DOWN-WHITE	0,5w	11-16 DC / Optional 10/30 DC	Stainless steel
MERLE-DOWN-RED	0,5w	11-16 DC / Optional 10/30 DC	Stainless steel
MERLE-DOWN-BLUE	0,5w	11-16 DC / Optional 10/30 DC	Stainless steel



Merle special



MERLE-SPEC



MERLE-SPEC-SMALL



Product code	Power	Input Volt	Materiale
MERLE-SPEC	1,5w	11-16 DC / Optional 10/30 DC	Stainless steel
MERLE-SPEC-SMALL	2,5w	11-16 DC / Optional 10/30 DC	Stainless steel

Only manufactured on request. Contact Casolux for more information.


Casolux Marine light

Marine light system

Mille




Optional in mini version. Size only Ø14mm



Product code	Power	Input Volt	Materiale
MILLE-WHITE	0,2w	10-30 DC	Stainless steel
MILLE-RED	0,2w	10-30 DC	Stainless steel
MILLE-BLUE	0,2w	10-30 DC	Stainless steel

Mai



Product code	Power	Input Volt	Materiale
MAI-SMALL	0,3w	10-30 DC	Stainless steel

Only manufactured on request. Contact Casolux for more information.

Cleo



News



CLEO ROUND (RO)





CLEO SQUARE (SQ)



CLEO ROUND 25°
(RO25)



CLEO SQUARE 34°
(SQ34)




Product code	Beam	Power	Input Volt	Materiale
CLEO-SS-RO <i>News</i>	65	0,6w	10-32 DC	Stainless steel/Plastic
CLEO-SS-RO25 <i>News</i>	25	0,6w	10-32 DC	Stainless steel/Plastic
CLEO-SS-SQ <i>News</i>	65	0,6w	10-32 DC	Stainless steel/Plastic
CLEO-SS-SQ34 <i>News</i>	34	0,6w	10-32 DC	Stainless steel/Plastic

Only manufactured on request. Contact Casolux for more information.

Max Standard



Start with Red light On / Off, Blue light On / Off, White light On / Off



Product code	Power	Input Volt	Materiale
MAX-SS-STANDARD	3,6w	10-30 DC	Stainless steel


Max Special



Clear lens (CL)


Milky lens (ML)

Start with White light On / Off, Red light On / Off





Product code	Power	Input Volt	Materiale
MAX-SS-SPECIAL-CL	3,6w	10-30 DC	Stainless steel
MAX-SS-SPECIAL-ML	3,6w	10-30 DC	Stainless steel

Marina Push Up Table light





Product code	Power	Input Volt	Materiale
MARINA-SS	4w	10-30 DC	Stainless steel

Led-Flexible High Power Strip - IP20





Product code	Length (mm)	Led's pr.meter	Power	Input Volt
CALL12VDC 9,6W WW News	600,1000,1600,5000	160 pcs	9,6w/m	12 DC
CALL24VDC 9,6W WW News	600,1000,1600,5000	160 pcs	9,6w/m	24 DC

COB Led-Flexible Strip - IP20




Product code	Lumen	Led's pr.meter	Power	Input Volt
COB-5MM News	630 Lm/m	480 pcs	7 w/m	12 / 24 DC
COB-8MM News	880/990/1100 Lm/m	384/480/512 pcs	8/9/10 w/m	12 / 24 DC
COB-10MM News	1200/1540 Lm/m	384/480/512 pcs	12/14 w/m	12 / 24 DC

COB Led-Flexible Silicone Strip - IP67




Product code	Lumen	Led's pr.meter	Power	Input Volt
COB-IP67-240 News	550 Lm/m	240 pcs	6 w/m	12 / 24 DC
COB-IP67-480 News	880 Lm/m	384 pcs	9 w/m	12 / 24 DC
COB-IP67-512 News	1100 Lm/m	512 pcs	10 w/m	12 / 24 DC

Led-Flexible PU Strip - IP54



Product code	Length (mm)	Power	Input Volt	Materiale
CALL-12V	250,500,850,1300,2500,3500,5000	4,8w/m	12 DC	PU
CALL-24V	1000-2000-3000-4000-5000	4,8w/m	24 DC	PU


Led-Flexible PU Strip - IP65



Product code	Length	Power	Input Volt	Materiale
CALL-12V-1875MM-3500K	1,8 m	9,6w/m	12 DC	PU
CALL-24V-1875MM-3500K	1,8 m	9,6w/m	24 DC	PU


Can be customized in other lengths. Contact Casolux.

Led-Flexible Silicone Strip - IP67



Product code	Length	Power	Input Volt	Materiale
CALL12V-4,8W-5000x10x5NW	5 m	4,8w/m	12 DC	Silicone
CALL24V-4,8W-5000x10x5NW	5 m	4,8w/m	24 DC	Silicone

Led-Flexible - Milky White Silicone Strip - IP65




Product code	Led's pr. meter	Power	Input Volt	Materiale
LED-LINE-FLEX-MILKY-FLAT 5 meter	280 pcs	8w/m	24 DC	Silicone
LED-LINE-FLEX-MILKY-FLAT 7 meter	280 pcs	8w/m	24 DC	Silicone

Led-Flexible PU Strip 10x10mm 10W IP68



Bending Up / Down




Product code	Length	Power	Input Volt	Materiale
CALL-24V 10x10 10W WW	1,2,3,5 m	10w/m	24 DC	PU
CALL-24V 10x10 10W CW	5 m	10w/m	24 DC	PU

Can be customized in other lengths. Contact Casolux.

Led-Flexible PU Strip 8x9,6mm Sideway 10W IP68



Bending Sideway



Product code	Length	Power	Input Volt	Materiale
CALL-24V 8x9,6 10W WW News	5 m	10w/m	24 DC	PU

Can be customized in other lengths. Contact Casolux.


Led-Flexible Silicone NEON Strip - 10x10mm - IP67



Saltwater, UV and Flame resistant.



Bending Up / Down



Product code	Lenght	Power	Input Volt	Materiale
CALL12V-4W-10000x10x10WW ^{News}	10 m	4w/m	12 DC	Silicone
CALL24V-4W-10000x10x10WW ^{News}	10 m	4w/m	24 DC	Silicone

Can be customized in other lengths. Contact Casolux.


Led-Flexible Silicone NEON Strip - 6x6mm - IP67



Saltwater, UV and High temperature resistant.



Bending Up / Down



Product code	Lenght	Power	Input Volt	Materiale
CALL24V-6W-5000x6x6WW ^{News}	5 m	6w/m	24 DC	Silicone



Led-Flexible Silicone NEON Strip - 8x7mm - Sideway - IP67





News

Saltwater, UV and Flame resistant.



Bending Sideway





Product code	Length	Power	Input Volt	Materiale
CALL12V-4W-10000x8x10WW News	10 m	4w/m	12 DC	Silicone
CALL24V-4W-10000x8x10WW News	10 m	4w/m	24 DC	Silicone

Can be customized in other lengths. Contact Casolux.

Led-Flexible Silicone NEON Strip - 4x11mm - Sideway - IP67



Bending Sideway



Product code	Length	Power	Input Volt	Materiale
CALL12V-MILKY-SIDEWAY	5 m	7,6w/m	12 DC	Silicone
CALL24V-MILKY-SIDEWAY	5 m	9,6w/m	24 DC	Silicone



Can be customized in other lengths. Contact Casolux.

Led-Flexible Silicone NEON Strip 4x8mm - Sideway - IP67



News

Bending Sideway



Product code	Length	Power	Input Volt	Materiale
CALL24V-6W-5000x4x8WW News	5 m	6w/m	24 DC	Silicone


Can be customized in other lengths. Contact Casolux.

Elin small

Magnetic induction



Electromagnetic induction plug and socket. No cable



Optional in different light colours and beam angles



Product code	Power	Input Volt	Materiale
ELIN-SMALL	3w	230 AC / 24 DC	Stainless steel / Nylon
Only manufactured on request. Contact Casolux for more information.			

Copyright N. Krauss/Hamburg



Illuminated Sign




Customized LED illuminated signs.

Three-dimensional lettering, personalized logos and symbol design.
316 grade mirror-polished stainless steel.
Halo light effects, side or edge lighting, back lighting or front lighting.

Contact tg@casolux.com for more information.





Cabinet light - Round



Product code	Power	Battery	Input	Materiale
CABINET-ROUND-SILVER News	2,3w	3,7V, 2000mAH	5V, 800mA	Aluminum

Pia Magnetic

Emergency light with Remote control





Product code	Power	Battery	Input	Materiale
PIA-LIGHT-REMOTE-MAGNET News	1w	3,7V, 2000mAH	5V, 700mA	PC

Pia


Emergency light and Powerbank



	Length	Diameter	Weight
PIA SMALL	143mm	36mm	130g
PIA LARGE	262mm	36mm	210g











Product code	Power	Battery	Output	Input	Materiale
PIA-SMALL	1w	3,7V, 2600mAH	5V, 1200mA	5V, 800mA	PC
PIA-LARGE	3w	3,7V, 5200mAH	5V, 2000mA	5V, 2100mA	PC



Led Bulb

Replacement for Halogen bulbs

 19mm 10mm 30mm M11 Dimmable, angle 360, CCT 3000K, Lumen 60-90 Product code: CABU-G4-M11, Power: 0,8w, Input Volt: 10-30 DC	 29mm 10mm 39mm M12 Dimmable, angle 360, CCT 3000K, Lumen 100-130 Product code: CABU-G4-M12, Power: 1w, Input Volt: 10-30 DC	 26mm 10mm 36mm M13 Dimmable, angle 360, CCT 3000K, Lumen 80-100 Product code: CABU-G4-M13, Power: 1w, Input Volt: 10-30 DC	 24mm 11mm 30mm M14 Dimmable, angle 180, CCT 3000K, Lumen 90-110 Product code: CABU-G4-M14, Power: 1,1w, Input Volt: 10-30 DC
--	---	---	--

 28mm 13mm 38mm M15 Dimmable, angle 360, CCT 3000K, Lumen 150-170 Product code: CABU-G4-M15, Power: 1,5w, Input Volt: 10-30 DC	 33mm 13mm 43mm News HIGH LUMEN Dimmable, angle 360, CCT 3000K, Lumen 320-360 Product code: CABU-G4-HL-News, Power: 2,5w, Input Volt: 10-30 DC	 19mm 10mm 30mm M17 Dimmable, angle 360, CCT 3000K, Lumen 100-120 Product code: CABU-G4-M17, Power: 1,1w, Input Volt: 10-30 DC	 29mm 10mm 39mm M18 Dimmable, angle 180, CCT 3000K, Lumen 170-200 Product code: CABU-G4-M18, Power: 1,5w, Input Volt: 10-30 DC
---	---	---	--

Mega Flood Light

News

Saltwater and UV resistant.

Product code

Power

Input Volt

Materiale

MEGA-FLOODLIGHT-350W

350w

100-277 AC

Aluminum

MEGA-FLOODLIGHT-600W

600w

100-277 AC

Aluminum


Only manufactured on request. Contact Casolux for more information.

WWW.CASOLUX.COM - page 42

Casolux Marine light

Marine light system


Barsoe



	H	W	D
BARSOE-SPECIAL	108mm	108mm	59mm
BARSOE-SMALL	80mm	97mm	65mm
BARSOE-MEDIUM	80mm	300mm	65mm
BARSOE-DOUBLE	167mm	97mm	93mm


Product code	Power	Input Volt	Materiale
BARSOE-SPECIAL <i>News</i>	48w	10-30 DC	Aluminum
BARSOE-SMALL	18w	12-30 DC	Aluminum
BARSOE-MEDIUM	72w	12-30 DC	Aluminum
BARSOE-DOUBLE	36w	12-30 DC	Aluminum

Langeland



Product code	Power	Input Volt	Materiale
LANGELAND-ALUMINUM-LARGE	11,5w	24 DC	Aluminum
LANGELAND-SS-LARGE	11,5w	24 DC	Stainless Steel


Drejoe Tri Proof IP69K



1200/1500mm can be manufactured on request. Contact Casolux for more information.

Product code	Power	Input Volt	Materiale
DREJOE-X SMALL-300-350MM	15w	230 AC / 24 DC / 10-32 DC	SS / PC / HDPE
DREJOE-SMALL-600MM	20w	230 AC / 24 DC / 10-32 DC	SS / PC / HDPE

Roemoe





Product code	Power	Input Volt	Materiale
ROEMOE-ROUND-600MM	16w	100-270 AC	Aluminum
ROEMOE-ROUND-1200MM	32w	100-270 AC	Aluminum

Casolux Marine light



Marine light system

Underwater



Product code	Power	Input Volt	Materiale
UNDERWATER-6W-4500K <i>News</i>	6w	12 DC	PA
UNDERWATER-6W-BLUE <i>News</i>	6w	12 DC	PA

Spirholm




Product code	Power	Input Volt	Materiale
SPIRHOLM-X-LARGE	15w	24 DC	Stainless steel

Only manufactured on request. Contact Casolux for more information.


Underwater



10W



20W



	Lenght	Width	Depth
UNDERWATER-10W	210mm	80mm	30mm
UNDERWATER-20W	290mm	110mm	30mm

Product code	Power	Input Volt	Materiale
UNDERWATER-10W-4500K <i>News</i>	10w	12 AC/DC	Aluminum
UNDERWATER-20W-4500K <i>News</i>	20w	12 AC/DC	Aluminum

Only manufactured on request. Contact Casolux for more information.


Casolux Control System



Modern power and monitoring for marine and caravans.


Master Console

News



DIN Switch

Junction Module



Sensor Module



Touch control

A clear and robust glass display gives you fingertip access to battery health, light switches, water tank levels and more. All from a central location in the cabin. The system's simple wiring allows the display to be installed wherever you want, independently from the switch board and main power wiring.



Plug and play installation

With this system, you get the robustness of an analogue installation, but with the benefits of digital switching. The team has spent years designing a modular, marine-grade, plug-and-play system that is simple, extendable, and easy to maintain for installers and users.



Control lights and groups

Combine the familiar tactility of your physical light switches with the digital power of a touch screen. The system lets you toggle slight groups centrally with a tap on the main screen, or on your phone. So you'll never have to fumble for switches when you arrive, or risk leaving the lights on when you've left.



Extend your battery's life

The system automatically monitors the health of your battery, so you don't have to worry about it depleting. The crisp touch screen gives you actionable data, so you'll never have to deal with a dead battery while on a trip.

Casolux Marine light


Marine light system

LED Power Supply 8/36W


LED Power Supply 150W




CAD-8-12



CAD-35-12



CAD-150



Available as no dim, 1-10V, 10v PWM signal and resistance.

Product code	Power	Efficiency	Input Volt	Output Volt
CAD-8-12	8,04w	>80%	100-240 AC	12 DC - 0,67A
CAD-35-12	36w	>83%	100-240 AC	12 DC - 3,0A

Product code	Power	Efficiency	Input Volt	Output Volt
CAD-150W-12	150w	>91,5%	100-240 AC	12 DC - 12,5A
CAD-150W-24	150w	>93%	100-240 AC	24 DC - 6,3A

LED Dimmer / RGB/TW

LED Dimmer / Bluetooth



1CH



2CH



3CH



4CH-BLE



1CH-BLE



Bluetooth dimming App



Product code	Dimension	Efficiency	Input Volt	Output
CAD-1248-1CH	45x58x25mm	>95%	12-24 DC	1 x 8A max
CAD-1248-2CH	44x44x25mm	>95%	12-48 DC	2 x 1,6A max
CAD-1248-3CH	44x44x25mm	>95%	12-48 DC	3 x 1,6A max

Product code	Dimension	Efficiency	Input Volt	Output
CADB-1224-4CH-BLE	88x54x26mm	>95%	12-24 DC	4 x 5A
CADB-1224-1CH-BLE	44x57x25mm	>95%	12-48 DC	1 x 8A

LED Driver

DC-DC Converter

Small



News

Medium



News



CAOT-12VDC-20W

Large




News



Product code	Power	Efficiency	Input Volt	Output Volt
SMALL News	20w		200-240 AC	24 DC - 0,83A
MEDIUM News	50w		200-240 AC	24 DC - 2,08A
LARGE News	75w		200-240 AC	24 DC - 3,13A
CAOT-12VDC-20W	20w	>80%	100-240 AC	12 DC - 1,66A






30W



200W



300W



Product code	Power	Efficiency	Input Volt	Output Volt
CA-DC/DC-30W-12	30w	>86,5%	9-36 DC	12 DC - 2,5A
CA-DC/DC-30W-24	30w	>86,5%	9-36 DC	24 DC - 5A
CA-DC/DC-200W-12	200w	>91%	9-36 DC	12 DC - 16,7A
CA-DC/DC-480W-12	480w	>86%	19-72 DC	12 DC - 21A



Sønderborg
Denmark



CASOLUX®

The lights of tomorrow

info@casolux.com

www.casolux.com

Tlf. +45 7445 0005

6400 Sønderborg

Denmark